

# MA Compact Balances

## Portable and Convenient



### Compact and Portable

These flexible balances have been designed with a small footprint that not only saves valuable space on your workbench, but also makes them easy to pick up and transport to wherever you want to weigh.



### Simple Operation

The large, bright screen is easy to read, while on-screen instructions guide you through each weighing procedure. Calculations are performed automatically and it's simple to print out results or transfer them to a storage device.



### Built to Last

Thanks to high-quality materials and solid construction, these balances are highly resilient. Even with intensive use in challenging weighing environments, you can depend on many years of reliable service.



### Built-In Adjustment

With just one keypress, you can trigger the balance to perform an adjustment procedure using its own internal test weights. This simple process helps to ensure consistently accurate weighing results.



### Easy Everyday Weighing For Your Routine Tasks

Our portable laboratory balances don't compromise on quality or weighing performance. These robust balances can be operated by connecting to your local power supply or with batteries, meaning you can rely on trusted weighing results wherever and whenever you need to weigh.

The bright LCD screen provides excellent readability, while the glass surface resists wear and tear and is easy to clean. The touch keys make it simple to operate the balance and navigate through the menus in the user interface.

## Technical Specifications



	MA602P	MA2002P	MA6001P
<b>Limit values</b>			
Capacity	620 g	2.2 kg	6.2 kg
Readability	10 mg	10 mg	100 mg
Repeatability (at 5% load)	10 mg	10 mg	100 mg
Linearity deviation	20 mg	20 mg	200 mg
Sensitivity offset (at nominal load) ▲	40 mg	80 mg	400 mg
<b>Typical values</b>			
Repeatability (at 5% load)	7 mg	7 mg	70 mg
Linearity deviation	6 mg	6 mg	60 mg
Sensitivity offset (at nominal load) ▲	25 mg	50 mg	250 mg
Minimum weight (USP, tolerance = 0.10%) ▼	14 g	14 g	140 g
Minimum weight (tolerance = 1%) ▼	1.4 g	1.4 g	14 g
Settling time	1.5 s	1.5 s	1 s
<b>Dimensions and other specifications</b>			
Balance dimensions (W × D × H)	177 × 253 × 74 mm	177 × 253 × 74 mm	177 × 253 × 74 mm
Weighing pan dimensions (W × D)	160 × 160 mm	160 × 160 mm	160 × 160 mm
Weighing pan diameter	–	–	–

▲ after adjustment with internal weight

▼ determined at 5% load, k = 2

All models are available as approved versions. Models without internal test weights are also available (ExCal).

## Features

### Performance

- Strain gauge weighing cell
- Internal adjustment

### Efficient Operation

- LCD hybrid touchscreen
- 10 built-in applications
- Statistical data analysis

- Power cable and battery operation
- Small footprint
- Plug & Play

### Quality Assurance

- OIML/NTEP approved
- Front level indicator
- Overload protection
- Sample ID

### Data Management

- 2 interfaces: USB-A, RS232
- Bluetooth option
- Transfer weight function for easy data transfer
- MT-SICS
- EasyDirect Balance software

## Accessories

Enhance performance, improve ergonomics, and handle your data efficiently with our wide range of accessories, including EasyDirect Balance data management software, printers, weights, and density kit.

For further information on accessories, please visit our web page.

► [www.mt.com/lab-accessories](http://www.mt.com/lab-accessories)



**Mettler-Toledo GmbH**  
Im Langacher 44  
8606 Greifensee, Switzerland  
[www.mt.com/contact](http://www.mt.com/contact)

Subject to technical changes.  
© 09/2023 METTLER TOLEDO. All rights reserved.  
30839981A en  
Group Marketing

[www.mt.com/MA-precision](http://www.mt.com/MA-precision)

For more information



30839981